



Report Number: 21-006115/D008.R000

Report Date: 06/08/2021 ORELAP#: OR100028

Purchase Order:

Received: 06/03/21 12:00

Customer: Product Max Group Product identity: Pink Lemonade CBD

Client/Metrc ID:

Laboratory ID: 21-006115-0003

Summary

Pot	en	су	:

Analyte per 3.3g CBD per 3.3g	Result	Limits	Units mg/3.3g	Status	CBD-Total per 3.3g	21.7 mg/3.3g
CBDV per 3.3g [†] CBG per 3.3g [†]	0.237 0.373		mg/3.3g mg/3.3g		THC-Total per 3.3g	<loq< td=""></loq<>
					(Reported in millig	rams per serving)





Report Number: 21-006115/D008.R000

Report Date: 06/08/2021 **ORELAP#:** OR100028

Purchase Order:

Received: 06/03/21 12:00



Customer: Product Max Group

8011 Land O Lakes Blvd.

Product identity: Pink Lemonade CBD

Client/Metrc ID:

Sample Date:

Laboratory ID: 21-006115-0003

 Temp:
 22.8 °C

 Serving Size #1:
 3.3 g

Sample Results

Potency per 3.3g	Method J AOA	AC 2015 V98-6 (mod) Units mg/se B a	atch: 2105032	Analyze: 6/8/21 1:29:00 PM
Analyte	Result	Limits Units	LOQ	Notes
CBC per 3.3g [†]	<loq< td=""><td>mg/3.3g</td><td>0.104</td><td></td></loq<>	mg/3.3g	0.104	
CBC-A per 3.3g [†]	<loq< td=""><td>mg/3.3g</td><td>0.104</td><td></td></loq<>	mg/3.3g	0.104	
CBC-Total per 3.3g [†]	<loq< td=""><td>mg/3.3g</td><td>0.195</td><td></td></loq<>	mg/3.3g	0.195	
CBD per 3.3g	21.7	mg/3.3g	0.104	
CBD-A per 3.3g	<loq< td=""><td>mg/3.3g</td><td>0.104</td><td></td></loq<>	mg/3.3g	0.104	
CBD-Total per 3.3g	21.7	mg/3.3g	0.195	
CBDV per 3.3g [†]	0.237	mg/3.3g	0.104	
CBDV-A per 3.3g [†]	<loq< td=""><td>mg/3.3g</td><td>0.104</td><td></td></loq<>	mg/3.3g	0.104	
CBDV-Total per 3.3g [†]	0.237	mg/3.3g	0.193	
CBE per 3.3g [†]	<loq< td=""><td>mg/3.3g</td><td>3.42</td><td></td></loq<>	mg/3.3g	3.42	
CBG per 3.3g [†]	0.373	mg/3.3g	0.104	
CBG-A per 3.3g [†]	<loq< td=""><td>mg/3.3g</td><td>0.104</td><td></td></loq<>	mg/3.3g	0.104	
CBG-Total per 3.3g [†]	0.373	mg/3.3g	0.193	
CBL per 3.3g [†]	<loq< td=""><td>mg/3.3g</td><td>0.104</td><td></td></loq<>	mg/3.3g	0.104	
CBL-A per 3.3g [†]	<loq< td=""><td>mg/3.3g</td><td>3.42</td><td></td></loq<>	mg/3.3g	3.42	
CBL-Total per 3.3g [†]	<loq< td=""><td>mg/3.3g</td><td>6.42</td><td></td></loq<>	mg/3.3g	6.42	
CBN per 3.3g	<loq< td=""><td>mg/3.3g</td><td>0.104</td><td></td></loq<>	mg/3.3g	0.104	
CBT per 3.3g [†]	<loq< td=""><td>mg/3.3g</td><td>3.42</td><td></td></loq<>	mg/3.3g	3.42	
Δ8-THCV per 3.3g [†]	<loq< td=""><td>mg/3.3g</td><td>3.42</td><td></td></loq<>	mg/3.3g	3.42	
Δ8-THC per 3.3g [†]	<loq< td=""><td>mg/3.3g</td><td>0.104</td><td></td></loq<>	mg/3.3g	0.104	
Δ9-THC per 3.3g	<loq< td=""><td>mg/3.3g</td><td>0.104</td><td></td></loq<>	mg/3.3g	0.104	
exo-THC per 3.3g [†]	<loq< td=""><td>mg/3.3g</td><td>3.42</td><td></td></loq<>	mg/3.3g	3.42	
THC-A per 3.3g	<loq< td=""><td>mg/3.3g</td><td>0.104</td><td></td></loq<>	mg/3.3g	0.104	
THC-Total per 3.3g	<loq< td=""><td>mg/3.3g</td><td>0.195</td><td></td></loq<>	mg/3.3g	0.195	
THCV per 3.3g [†]	<loq< td=""><td>mg/3.3g</td><td>0.104</td><td></td></loq<>	mg/3.3g	0.104	
THCV-A per 3.3g [†]	<loq< td=""><td>mg/3.3g</td><td>0.104</td><td></td></loq<>	mg/3.3g	0.104	
THCV-Total per 3.3g [†]	<loq< td=""><td>mg/3.3g</td><td>0.195</td><td></td></loq<>	mg/3.3g	0.195	
Total Cannabinoids per 3.3g	22.3	mg/3.3g		





Report Number: 21-006115/D008.R000

Report Date: 06/08/2021 **ORELAP#:** OR100028

Purchase Order:

Received: 06/03/21 12:00

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

† = Analyte not NELAP accredited.

Units of Measure

g = Gram mg/3.3g = Milligram per 3.3g % = Percentage of sample

% wt = μ g/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager





Report Number: 21-006115/D008.R000

06/08/2021 **Report Date:** ORELAP#: OR100028

Purchase Order:

Received: 06/03/21 12:00

Revision #: 0.00 Control : CFL-D06 Revision Date: 05/31/2019 Effective Date: 05/31/2019

		Labor	atory (Quality Co	ontrol Results		
J AOAC 2015 V98-6 Batch ID: 2105032							
Laboratory Control Sample							
Analyte	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDVA	0.00876	0.01	%	87.6	85.0 - 115	Acceptable	
CBDV	0.00945	0.01	%	94.5	85.0 - 115	Acceptable	
CBE	0.00917	0.01	%	91.7	85.0 - 115	Acceptable	
CBDA	0.00912	0.01	%	91.2	85.0 - 115	Acceptable	
CBGA	0.00885	0.01	%	88.5	85.0 - 115	Acceptable	
CBG	0.00967	0.01	%	96.7	85.0 - 115	Acceptable	
CBD	0.0100	0.01	%	100	85.0 - 115	Acceptable	
THCV	0.00948	0.01	%	94.8	85.0 - 115	Acceptable	
d8THCV	0.00939	0.01	%	93.9	85.0 - 115	Acceptable	
THCVA	0.00858	0.01	%	85.8	85.0 - 115	Acceptable	
CBN	0.0101	0.01	%	101	85.0 - 115	Acceptable	
exo-THC	0.00888	0.01	%	88.8	85.0 - 115	Acceptable	
d9THC	0.00998	0.01	%	99.8	85.0 - 115	Acceptable	
d8THC	0.00931	0.01	%	93.1	85.0 - 115	Acceptable	
CBL	0.00868	0.01	%	86.8	85.0 - 115	Acceptable	
CBC	0.00960	0.01	%	96.0	85.0 - 115	Acceptable	
THCA	0.00885	0.01	%	88.5	85.0 - 115	Acceptable	
CBCA	0.00875	0.01	%	87.5	85.0 - 115	Acceptable	
CBLA	0.00981	0.01	%	98.1	85.0 - 115	Acceptable	
CBT	0.00930	0.01	%	93.0	85.0 - 115	Acceptable	

Method Blank						
Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<l0q< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></l0q<>	0.003	%	< 0.003	Acceptable	
CBDV	<l0q< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></l0q<>	0.003	%	< 0.003	Acceptable	
CBE	<l0q< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></l0q<>	0.003	%	< 0.003	Acceptable	
CBDA	<l0q< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></l0q<>	0.003	%	< 0.003	Acceptable	
CBGA	<l0q< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></l0q<>	0.003	%	< 0.003	Acceptable	
CBG	<l0q< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></l0q<>	0.003	%	< 0.003	Acceptable	
CBD	<l0q< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></l0q<>	0.003	%	< 0.003	Acceptable	
THCV	<l0q< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></l0q<>	0.003	%	< 0.003	Acceptable	
d8THCV	<l0q< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></l0q<>	0.003	%	< 0.003	Acceptable	
THCVA	<l0q< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></l0q<>	0.003	%	< 0.003	Acceptable	
CBN	<l0q< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></l0q<>	0.003	%	< 0.003	Acceptable	
exo-THC	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
d9THC	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
d8THC	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBL	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBC	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
THCA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBCA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBLA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBT	<l0q< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></l0q<>	0.003	%	< 0.003	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

% - Percent





Report Number: 21-006115/D008.R000

Report Date: 06/08/2021 ORELAP#: OR100028

Purchase Order:

Received: 06/03/21 12:00

Revision #: 0.00 Control : CFL-D06 Revision Date: 05/31/2019 Effective Date: 05/31/2019

Laboratory Quality Control Results

J AOAC 2015 V	J AOAC 2015 V98-6 Batch ID: 2105032							
Sample Duplica	ite		Sample ID: 21-003502-0004					
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBDV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBE	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBDA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBGA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBG	0.00443	0.00465	0.003	%	4.68	< 20	Acceptable	
CBD	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
THCV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
d8THCV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBN	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
exo-THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
d9THC	0.135	0.139	0.003	%	2.99	< 20	Acceptable	
d8THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBL	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
THCA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBCA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBLA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBT	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

NA - Calculation Not Applicable given non-numerical results

Units of Measure:

% - Percent





Report Number: 21-006115/D008.R000

Report Date: 06/08/2021 ORELAP#: OR100028

Purchase Order:

Received: 06/03/21 12:00

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.